


## Data sheet Product LA\_V35\_





Cooling aggregates>Cooling aggregates with axial fan  
160.6 x 83 mm, with axial fan and air-flow chamber

### Features

width:	160.6 mm
height:	83 mm
length:	100 mm / 150 mm / 200 mm / 250 mm / 300 mm
thermal resistance:	0.11 - 0.046 K/W
surface:	<ul style="list-style-type: none"> <li>• raw degreased aluminium</li> <li>• mounting area(s) milled flat</li> </ul>

### Technical Drawing



**Fan****ebmpapst 8212 JH4, 12 V DC**

type:	ebmpapst 8212 JH4
dimensions:	80x80x38 mm
tension:	12 V DC
power inout:	39 W
max. air volume:	222 m <sup>3</sup> /h
temperature range:	-20°C... +70°C
speed:	14,000 min <sup>-1</sup>
noise level:	71 dB(A)
weight:	200 g
failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 50,000 h (40°C)

**ebmpapst 8218 JH4, 48 V DC**

type:	ebmpapst 8218 JH4
dimensions:	80x80x38 mm
tension:	48 V DC
power inout:	36 W
max. air volume:	222 m <sup>3</sup> /h
temperature range:	-20°C... +70°C
speed:	14,000 min <sup>-1</sup>
noise level:	71 dB(A)
weight:	200 g
failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 50,000 h (40°C)

**ebmpapst 8214 JH4, 24 V DC**

type:	ebmpapst 8214 JH4
dimensions:	80x80x38 mm
tension:	24 V DC
power inout:	38 W
max. air volume:	222 m <sup>3</sup> /h
temperature range:	-20°C... +70°C
speed:	14,000 min <sup>-1</sup>
noise level:	71 dB(A)

weight:

**200 g**failure rate (L<sub>10</sub>):**L<sub>10</sub> > 50,000 h (40°C)****Fischer Elektronik GmbH & Co. KG**  
DEUTSCHLAND • GERMANY • ALLEMAGNENottebohmstraße 28  
58511 LüdenscheidTelefon +49 2351 435-0  
Telefax +49 2351 45754info@fischerelektronik.de  
www.fischerelektronik.de